OCCULT BLOOD

<u>Test Code</u>	<u>Test Name</u>	<u>CPT</u>
OCBS OCBS2 OCBS3	Blood Occult peroxidase	82270
	Screening	G0107

MEDICARE LIMITATIONS AND GUIDELINES:

Code 82270 is reported once for the testing of up to three separate specimens (comprising either one or two tests per specimen).

In patients who are taking non-steroidal anti-inflammatory drugs and have a history of gastrointestinal bleeding but no other signs, symptoms, or complaints associated with gastrointestinal blood loss, testing for occult blood may generally be appropriate no more than once every three months.

When testing is done for the purpose of screening for colorectal cancer in the absence of signs, symptoms, conditions, or complaints associated with gastrointestinal blood loss, HCPCS code G0107 (Colorectal cancer screening; fecal-occult blood test, 1-3 simultaneous determinations) should be used. Coverage of colorectal cancer screening is described in CMS Program Memorandum Transmittal No. AB-97-24(November, 1997).

Occult Blood

Narrative Description	ICD9
Abdominal or pelvic swelling, mass, or lump	789.30 - 789.39
Abdominal pain	789.00 - 789.09
Abdominal rigidity	789.40 - 789.49
Abdominal tenderness	789.60 - 789.69
Abnormal coagulation profile	790.92
Abnormal feces	787.7
Abnormal loss of weight	783.21
Acute pancreatitis	577.0
Amebiasis	006.0 - 006.9
Anal and rectal polyp	569.0
Anal fissure and fistula	565.0 - 565.1
Anal sphincter tear	569.43
Angiodysplasia of intestine with or without mention of hemorrhage	569.84 - 569.85
Angiodysplasia of stomach and duodenum	537.82 - 537.83
Anorexia	783.0
Antineoplastic chemotherapy induced anemia	285.3
Appendix with open wound into cavity	863.95
Ascites	789.59
Autoimmune hepatitis	571.42
Benign carcinoid tumors of the appendix, large intestine and rectum	209.50-209.57
Benign carcinoid tumors of the small intestine	209.40-209.43
Benign neoplasm of other parts of digestive system	211.0 - 211.9
Bilious emesis	787.04
Carcinoma in situ of digestive organs	230.2 - 230.9
Celiac disease	579.0
Chronic fatigue syndrome	780.71
Chronic liver disease and cirrhosis	571.0 - 571.9
Coagulation defects	286.0 - 286.9
Colic	789.7
Constipation	564.00 - 564.02, 564.09

Crushing injury of trunk, multiple sites	926.8
Crushing injury of trunk, other specified sites	926.11 - 926.19
Crushing injury of trunk, unspecified sites	926.9
Diarrhea	787.91
Dieulafoy lesion (hemorrhagic) of intestine	569.86
Dieulafoy lesion (hemorrhagic) of stomach and duodenum	537.84
Diseases of the esophagus, stomach, and duodenum	530.10 - 535.61
Diseases of the pancreas	577.0 - 577.9
Disseminated malignant neoplasm	199.0
Diverticulosis/diverticulitis of colon	562.10 - 562.13
Dyspepsia and other specified and unspecified functional disorders of the stomach	536.8 - 536.9
Dysphagia	787.29
Dysphagia, oral phase	787.21
Dysphagia, oropharyngeal phase	787.22
Dysphagia, pharyngeal phase	787.23
Dysphagia, pharyngoesophageal phase	787.24
Dysphagia, unspecified	787.20
Dysplasia of anus	569.44
Encounter for other and unspecified procedures and aftercare, long term (current) use of aspirin.	V58.66
Endometriosis of intestine	617.5
Eosinophilic colitis	558.42
Eosinophilic esophagitis	530.13
Eosinophilis gastroenteritis	558.41
Esophageal varices with or without mention of bleeding	456.0 - 456.21
Failed moderate sedation during procedure	995.24
Family history of certain digestive disorder (adenomatous polyps(s) in sibling, parent of child)	V18.51
Following treatment with high risk medication, not elsewhere specified	V67.51
Functional digestive disorders, not elsewhere classified	564.00 - 564.9
Functional quadriplegia	780.72
Gastrointestinal hemorrhage	578.0 - 578.9

Gonococcal endocaritis	098.84
Gonococcal infection anus and rectum	098.7
Gonococcal infections, acute, lower enitourinary tract	098.0
Heartburn	787.1
Hemangioma of intra-abdominal structures	228.04
Hemorrhage of rectum and anus	569.3
Hemorrhoids	455.0 - 455.8
Hereditary hemorrhagic telangiectasia	448.0
Ill defined intestinal infections	009.0 - 009.3
Injury to blood vessels of abdomen and pelvis	902.0 - 902.9
Injury to gastrointestinal tract	863.0 - 863.90
Injury to kidney with open wound into cavity	866.10 - 866.13
Injury to kidney without mention of open wound into cavity	866.00 - 866.03
Injury to liver with open wound into cavity	864.11 - 864.19
Injury to liver without mention of open wound into cavity	864.00 - 864.09
Intestinal infections due to other specified bacteria	008.41 - 008.49
Intestinal obstruction/impaction without mention of hernia	560.0 - 560.39
Intestinovesical fistula	596.1
Iron deficiency anemias	280.0 - 280.9
Kaposi's sarcoma, gastrointestinal sites	176.3
Late effects of other and unspecified infectious and parasitic diseases	139.8
Leukemia	205.00 - 208.91
Long – term (current) use of antiplatelet/antithrombotic	V58.63
Long - term (current) use of non-steroidal anti-inflammatories	V58.64
Long – term (current) use of steroids	V58.65
Long term (current) use of anticoagulants	V58.61
Long term (current) use of other medications	V58.69
Lymphoid leukemia	204.00 - 204.91
Malignant ascites	789.51
Malignant carcinoid tumors of the appendix, large intestine and rectum	209.10-209.17
Malignant carcinoid tumors of the small intestine	209.00-209.03

Occult Blood

Malignant neoplasm of digestive organisms	150.0 - 157.9
Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	159.0 - 0.159.9
Myelophthsis	284.2
Nausea and vomiting	787.01 – 787.03
Neoplasm of uncertain behavior of other and unspecified digestive organs	235.5
Neoplasm of uncertain behavior of stomach, intestines, and rectum	235.2
Neoplasm of unspecified nature, digestive system	239.0
Neoplasm related pain (acute) (chronic)	338.3
Non-infectious enteritis and colitis	555.0 - 558.9
Nonspecific abnormal findings in stool contents	792.1
Nonspecific abnormal findings on radiological and other examination, abdominal area, including retroperitoneum	793.6
Nonspecific abnormal results of function studies, liver	794.8
Other and unspecified anemias	285.0 - 285.9
Other cestode infection	123.0 - 123.9
Other disorders of stomach and duodenum	537.0 - 537.4
Other food poisoning (bacterial)	005.0 - 005.9
Other gastrointestinal sites with open wound into cavity	863.94
Other intestinal helminthiases	127.0 - 127.9
Other malaise and fatigue	780.79
Other protozoal intestinal diseases	007.0 - 007.9
Other specified disorders of rectum and anus	569.41 - 569.49
Other specified disorders of stomach and duodenum	537.89
Other specified intestinal malabsorption	579.8
Other symptoms involving digestive system	787.99
Pancreas body with open wound into cavity	863.92
Pancreas head with open wound into cavity	863.91
Pancreas multiple and unspecified sites with open wound into cavity	863.94
Pancreas tail with open wound into cavity	863.93
Persistent vomiting	536.2

Occult Blood

Personal history of malignant neoplasm, gastrointestinal tract	V10.00 - V10.09
Personal history of unspecified infectious and parasitic disease	V12.00
Poisoning by agents primarily affecting blood constituents, anticoagulants	964.2
Purpura and other hemorrhagic conditions	287.0 - 287.9
Rectal prolapse	569.1
Salmonella gastroenteritis	003.0
Salmonella septicemia	003.1
Secondary malignant neoplasm of intestines	197.4 – 197.5
Secondary malignant neoplasm of other digestive organs and spleen	197.8
Secondary Merkel cell carcinoma	209.75*
Secondary neuroendocrine tumor of bone	209.73
Secondary neuroendocrine tumor of distant lymph nodes	209.71
Secondary neuroendocrine tumor of liver	209.72
Secondary neuroendocrine tumor of other sites	209.79
Secondary neuroendocrine tumor of peritoneum	209.74
Secondary neuroendocrine tumor, unspecified site	209.70
Shigellosis	004.0 - 004.9
Syphilis of Liver	095.3
Syphilitic peritonitis	095.2
Trichinosis	124
Tuberculosis of intestines, peritoneum, and mesenteric glands	014.00 - 014.86
Ulcer of esophagus	530.20, 530.21, 530.85
Ulceration and perforation of intestine	569.82 - 569.83
Unspecified adverse effect of unspecified drug, medicinal and biological substance	995.20
Vomiting of fecal matter	569.87
Whipple's disease	040.2

OCCULT BLOOD ICD Codes Numerical Order				
003.0	209.70	537.84		
003.1	209.71	537.89		
004.0 - 004.9	209.72	555.0 - 558.9		
005.0 - 005.9	209.73	558.41		
006.0 - 006.9	209.74	558.42		
007.0 - 007.9	209.75*	560.0 - 560.39		
008.41 - 008.49	209.79	562.10 - 562.13		
009.0 - 009.3	211.0 - 211.9	564.00 -		
014.00 - 014.86	228.04	564.02, 564.09 564.00 – 564.9		
040.2	230.2 - 230.9	565.0 - 565.1		
095.2	235.2	569.0		
095.3	235.5	569.1		
098.0	239.0	569.3		
098.7	280.0 - 280.9	569.41 - 569.49		
098.84	284.2	569.43		
123.0 - 123.9	285.0 - 285.9	569.44		
124	285.3	569.82 - 569.83		
127.0 - 127.9	286.0 - 286.9	569.84 - 569.85		
139.8	287.0 - 287.9	569.86		
150.0 - 157.9	338.3	569.87		
159.0 - 0.159.9	448.0	571.0 - 571.9		
176.3	455.0 - 455.8	571.42		
197.4 – 197.5	456.0 - 456.21	577.0		
197.8	530.10 - 535.61	577.0 – 577.9		
199.0	530.13	578.0 – 578.9		
204.00 - 204.91	530.20, 530.21,	579.0		
205.00 - 208.91	530.85 536.2	579.8		
209.00-209.03	536.8 - 536.9	596.1		
209.10-209.17	537.0 - 537.4	617.5		
209.40-209.43	537.82 - 537.83	780.71		
209.50-209.57				

OCCULT BLOOD ICD Codes Numerical Order

780.72 780.79 783.0 783.21 787.01 - 787.03 787.04 787.1 787.20 787.21 787.22 787.23 787.24 787.29 787.7 787.91 787.99 789.00 - 789.09 789.30 - 789.39 789.40 - 789.49789.51 789.59 789.60 - 789.69 789.7 790.92 792.1 793.6 794.8 863.0 - 863.90 863.91 863.92