

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| <u>Test Code</u> | <u>Test Name</u> | <u>CPT</u> |
|-------------------------|--|-------------------|
| PTT | PTT, Activated, Plasma | 85730 |
| ABN | Abnormal Bleeding Time | 85730 |
| COAG | Coagulation Profile | 85730 |
| DIC2 | Disseminated Intravascular Coagulation Panel | 85730 |
| VONP4 | Von Willebrand Profile | 85730 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| Narrative Description | ICD9 |
|---|-----------------|
| Abdominal pain | 789.00 – 789.09 |
| Abnormal coagulation profile | 790.92 |
| Abortion unspecified, complicated by delayed or excessive hemorrhage | 637.10 – 637.12 |
| Acquired coagulation factor deficiency | 286.7 |
| Acute and subacute necrosis of liver | 570 |
| Acute myocardial infarction | 410.00 – 410.92 |
| Acute pancreatitis | 577.0 |
| Acute posthemorrhagic anemia | 285.1 |
| Acute renal failure | 584.5 – 584.9 |
| Admission for transfusion of blood products | V58.2 |
| Amaurosis fugax | 362.34 |
| Amyloidosis, unspecified | 277.30 |
| Angiodysplasia of stomach and duodenum with hemorrhage | 537.83 |
| Antepartum hemorrhage | 641.00 – 641.93 |
| Arenaviral hemorrhagic fever | 078.7 |
| Arterial embolism and thrombosis | 444.0 – 444.9 |
| Arthropod borne hemorrhagic fever | 065.0 – 065.9 |
| Arthropathy associated with Henoch Schoenlein (note: may not be used without indicating associated condition first) | 713.2 |
| Arthropathy associated with Henoch Schoenlein (note: may not be used without indicating associated condition first) | 713.6 |
| Arthus phenomenon | 995.21 |
| Atrial fibrillation | 427.31 |
| Autoimmune hepatitis | 57.42 |
| Biliary tract disorders | 576.0 – 576.9 |
| Cardiac dysrhythmias, unspecified | 427.9 |
| Cerebral hemorrhage | 430 – 432.9 |
| Chest pain | 786.59 |
| Chest pain, unspecified | 786.50 |
| Choroidal detachment | 363.72 |
| Choroidal hemorrhage | 363.63 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|---|-----------------|
| Chronic kidney disease, Stage IV (severe) | 585.4 |
| Chronic kidney disease, Stage V | 585.5 |
| Chronic kidney disease, unspecified | 585.9 |
| Clonorchiasis | 121.1 |
| Coagulation and defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition | 649.31 |
| Coagulation and defects complicating pregnancy, childbirth, or the puerperium, delivered, with the mention of postpartum complication | 649.32 |
| Coagulation and defects complicating pregnancy, childbirth, or the puerperium, condition or complication | 649.33 |
| Coagulation and defects complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication | 649.34 |
| Coagulation and defects complicating pregnancy, childbirth, or the puerperium, unspecified as to the episode of care or not applicable | 649.30 |
| Complications following abortion and ectopic and molar pregnancies, embolism | 639.6 |
| Congenital factor IX disorder – Hemophilia B | 286.1 |
| Congenital factor VIII disorder – Hemophilia A | 286.0 |
| Congestive heart failure, unspecified | 428.0 |
| Conjunctive hemorrhage | 372.72 |
| Contusion with intact skin surface | 920 – 924.9 |
| Crushing injury | 925.1 – 929.9 |
| Defibrillation syndrome | 286.6 |
| Deficiency of Vitamin K | 269.0 |
| Delayed or excessive hemorrhage following abortion and ectopic and molar pregnancies | 639.1 |
| Diabetic with renal manifestations | 250.40 – 250.43 |
| Dieulafoy lesion (hemorrhagic) of stomach and duodenum | 537.84 |
| Disorders of iron metabolism | 275.0 – 275.9 |
| Disorders of plasma protein metabolism | 273.0 – 273.9 |
| Disorders of porphyrin metabolism | 277.1 |
| Diverticulitis of colon without hemorrhage | 562.13 |
| Diverticulosis of colon with hemorrhage | 562.12 |
| Diverticulosis of small intestine with hemorrhage | 562.02 – 562.03 |
| Ecchymosis | 459.89 |
| Encounter for therapeutic drug monitoring | V58.83 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|--|
| End stage renal disease | 585.6 |
| Epistaxis | 784.7 |
| Esophageal varices with bleeding | 456.0 |
| Esophageal varices without bleeding | 456.1 |
| Esophgael hemorrhage | 530.82 |
| Essential thrombocythemia | 238.71 |
| Failed attempt abortion, complicated by delayed or excessive hemorrhage | 638.1 |
| Familiar Mediterranean fever | 277.31 |
| Fascioliasis | 121.3 |
| Femur | 820.00 – 821.39 |
| Fetal and neonatal hemorrhage | 772.0 – 772.9 |
| Fetal and newborn pulmonary hemorrhage | 770.3 |
| Fetal intrauterine growth retardation | 764.90 – 764.99 |
| Fetal maternal hemorrhage | 656.00 – 656.03 |
| Focal neurologic deficit | 435.9 |
| Fracture of base of skull | 801.00 – 801.99 |
| Fracture of clavicle | 810.00 – 810.13 |
| Fracture of face bones | 802.20 – 802.9 |
| Fracture of humerus | 812.00 – 812.59 |
| Fracture of pelvis | 808.8 – 808.9 |
| Fracture of radius and ulna, lower end, open | 813.50 – 813.54 |
| Fracture of radius and ulna, shaft, open | 813.30 – 813.33 |
| Fracture of radius and ulna, unspecified part, open | 813.90 – 813.93 |
| Fracture of radius and ulna, upper end, open | 813.10 – 813.18 |
| Fracture of rib(s), sternum, larynx, and trachea; Rib(s), open; Multiple ribs, unspecified | 807.19 |
| Fracture of scapula | 811.00 – 811.19 |
| Fracture of tibia and fibula | 823.00 – 823.92, 823.40, 823.41, 823.42 |
| Fracture of trunk | 809.0 – 809.1 |
| Fracture of vault of skull | 800.00 – 800.99 |
| Fracture, vertebral column | 805.00 – 806.9 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|-----------------|
| Fractures of rib(s), closed | 807.00 – 807.09 |
| Fractures of rib(s), open | 807.10 – 807.19 |
| Gangrene | 785.4 |
| Gastric-Duodenal ulcer disease | 531.00 – 535.61 |
| Gastroesophageal laceration – hemorrhage syndrome | 530.7 |
| Gastrointestinal Hemorrhage | 578.0 – 578.9 |
| Gross hematuria | 599.71 |
| Hemarthrosis | 719.10 – 719.19 |
| Hematocele female not elsewhere classified | 629.0 |
| Hematoma complicating a procedure | 998.12 |
| Hematoma of auricle or pinna | 380.31 |
| Hematoma of vulva | 624.5 |
| Hematometra | 621.4 |
| Hematuria, unspecified | 599.70 |
| Hemopericardium | 423.0 |
| Hemoperitoneum (nontraumatic) | 568.81 |
| Hemophthalmos, except current injury | 360.43 |
| Hemoptysis | 786.3 |
| Hemorrhage and infarction of thyroid | 246.3 |
| Hemorrhage from throat | 784.8 |
| Hemorrhage in early pregnancy | 640.00 – 640.93 |
| Hemorrhage in optic nerve sheaths | 377.42 |
| Hemorrhage into bladder wall | 596.7 |
| Hemorrhage of broad ligament | 620.7 |
| Hemorrhage of eyelid | 374.81 |
| Hemorrhage of rectum and anus | 569.3 |
| Hemorrhage or hematoma complicating a procedure | 998.11 |
| Hemorrhagic bowel disease | 556.0 – 557.9 |
| Hemorrhagic detachment of retinal pigment epithelium | 362.43 |
| Hemorrhagic disease of the newborn | 776.0 – 776.9 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|------------------------|
| Hemorrhagic disorder due to circulating anticoagulants | 286.5 |
| Hemorrhagic nephrosonephritis | 078.6 |
| Hereditary hemorrhagic telangiectasia | 448.0 |
| High grade myelodysplastic syndrome lesions | 238.73 |
| Human immunodeficiency virus (HIV) disease | 042 |
| Hungry bone syndrome | 275.5 |
| Hypertension complicating pregnancy, childbirth, and the puerperium | 642.00 – 642.94 |
| Hypertensive Heart and Renal Disease with renal failure | 404.02, 404.12, 404.92 |
| Hypertensive renal disease with renal failure | 403.01, 403.11, 403.91 |
| Iatrogenic cerebrovascular infarction or hemorrhage | 997.02 |
| Illegally induced abortion, complicated by delayed or excessive hemorrhage | 636.10 – 636.12 |
| Infection of amniotic cavity | 658.40 – 658.43 |
| Infectious mononucleosis | 075 |
| Injury to blood vessels of head and neck | 900.00 – 900.9 |
| Injury to blood vessels of lower extremity and unspecified sites | 904.0 – 904.9 |
| Injury to blood vessels of the abdomen and pelvis | 902.0 – 902.9 |
| Injury to blood vessels of the thorax | 901.0 – 901.9 |
| Injury to blood vessels of upper extremity | 903.00 – 903.9 |
| Injury to gastrointestinal tract | 863.0 – 863.99 |
| Injury to heart and lung | 861.00 – 861.32 |
| Injury to kidney | 866.00 – 866.13 |
| Injury to liver | 864.00 – 864.19 |
| Injury to other and unspecified intrathoracic organs | 862.0 – 862.9 |
| Injury to other intra-abdominal organs | 868.00 – 868.19 |
| Injury to pelvic organs | 867.0 – 867.9 |
| Injury to spleen | 865.00 – 865.19 |
| Injury, unspecified site | 959.9 |
| Internal injury to unspecified or ill defined organs | 869.0 – 869.1 |
| Jaundice, unspecified, not of newborn | 782.4 |
| Leg pain/calf pain | 729.5 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|-----------------|
| Legally induced abortion, complicated by delayed or excessive hemorrhage | 635.10 – 635.12 |
| Liver disease (in place of specific codes listed) | 571.0 – 573.9 |
| Liver disorders in pregnancy | 646.70 – 646.73 |
| Long Term (current use) of anticoagulants | V58.61 |
| Low grade myelodysplastic syndrome lesions | 238.72 |
| Malabsorption | 579.0 – 579.9 |
| Malignant neoplasm of liver and intrahepatic bile ducts | 155.0 – 155.2 |
| Malignant neoplasm of liver, specified as secondary | 197.7 |
| Metrorrhagia | 626.6 |
| Microscopic hematuria | 599.72 |
| Missed abortion | 632 |
| Multiple fractures | 819.0 – 819.1 |
| Multiple fractures, skull | 804.00 – 804.99 |
| Mural thrombus | 429.79 |
| Myelodysplastic syndrome with 5q deletion | 238.74 |
| Myelodysplastic syndrome, unspecified | 238.75 |
| Myelofibrosis with myeloid metaplasia | 238.76 |
| Neoplasm of unspecified nature, site unspecified | 239.9 |
| Nephritis, with unspecified pathological lesion in kidney | 583.9 |
| Nephrotic Syndrome | 581.0 – 581.9 |
| Obstetrical pulmonary embolus | 673.00 – 673.84 |
| Occlusion and stenosis of precerebral arteries | 433.00 – 433.91 |
| Occlusion of cerebral arteries | 434.00 – 434.91 |
| Orbital hemorrhage | 376.32 |
| Other amyloidosis | 277.39 |
| Other and unspecified coagulation defects | 286.9 |
| Other complications of internal prosthetic device | 996.70 – 996.79 |
| Other complications of surgical wounds, with hemorrhage | 674.30 – 674.34 |
| Other congenital factor deficiencies | 286.2 – 286.3 |
| Other disorders of bladder, with hemorrhage | 596.8 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|---|-----------------|
| Other disorders of kidney and ureter, with hemorrhage | 593.81 – 593.89 |
| Other drug allergy | 995.27 |
| Other forms of placental separation with hemorrhage (affecting newborn code do not assign to mother's record) | 762.1 |
| Other fracture, skull | 803.00 – 803.99 |
| Other lymphatic and hematopoietic tissues | 238.79 |
| Other multiple lower limb | 827.0 – 829.1 |
| Other paraproteinemias | 273.2 |
| Other perinatal jaundice | 774.0 – 772.7 |
| Other Salmonella infections | 03.0 – 003.9 |
| Other specified birth trauma, with hemorrhage | 767.8 |
| Other specified diseases of the vagina, with hemorrhage | 623.8 |
| Other specified disorders of breast including hematoma | 611.89 |
| Other specified disorders of cervix, with hemorrhage | 622.8 |
| Other vascular complications of medical care | 999.2 |
| Other venous emboli and thrombosis | 453.0 – 453.9 |
| Pathologic fracture associated with fat embolism | 733.10 – 733.19 |
| Penile hemorrhage | 607.82 |
| Personal history of diseases of blood and blood forming organs | V12.3 |
| Phlebitis and thrombophlebitis | 451.0 – 451.9 |
| Phlebitis and thrombophlebitis of intracranial ventricles sinuses | 325 |
| Phlebitis in pregnancy | 671.20 – 671.54 |
| Poisoning by anticoagulant antagonist | 964.5 |
| Poisoning by anticoagulants | 964.2 |
| Poisoning by natural blood and blood products | 964.7 |
| Polycythemia vera | 238.4 |
| Polycythemia, secondary | 289.0 |
| Postcoital bleeding | 626.7 |
| Postmenopausal bleeding | 627.1 |
| Postpartum hemorrhage | 666.00 – 666.34 |
| Post-transplant lymphoproliferative disorder (PTLD) | 238.77 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|-----------------|
| Premenopausal bleeding | 627.0 |
| Primary Hypercoagulable State | 289.81 |
| Primary hypercoagulable state | 289.81 |
| Purpura (thrombocytopenia) and other hemorrhagic conditions | 287.0 – 287.9 |
| Renal failure | 586 |
| Retinal hemorrhage | 362.81 |
| Retinal vascular occlusion | 362.30 – 362.37 |
| Rupture of artery | 447.2 |
| Sarcoidosis | 135 |
| Schistosomiasis haematobium | 120.0 |
| Secondary and recurrent hemorrhage | 958.2 |
| Shock | 785.50 |
| Shortness of breath | 786.05 |
| Snake venom | 989.5 |
| Spontaneous abortion | 634.00 – 634.92 |
| Spontaneous ecchymoses Petechiae | 782.7 |
| Spotting complicating pregnancy, antepartum condition or complication | 649.53 |
| Spotting complicating pregnancy, delivered, with or without mention of antepartum condition | 649.51 |
| Spotting complicating pregnancy, unspecified as to episode of care or not applicable | 649.50 |
| Subarachnoid subdural, and extradural hemorrhage, following injury, other and specified intracranial hemorrhage following injury | 852.00 – 853.19 |
| Subdural and cerebral hemorrhage | 767.0 – 767.11 |
| Swelling of limb | 729.81 |
| Syncope | 780.2 |
| Systemic Lupus Erythematosus | 710.0 |
| Thrombotic microangiopathy | 446.6 |
| Toxic effects of alcohol | 980.0 |
| Traumatic pneumothorax and hemothorax | 860.0 – 860.5 |
| Trichinosis | 124 |
| Typhoid and paratyphoid | 02.0 – 002.9 |
| Unspecified adverse effect of other drug, medicinal and biological substance | 995.29 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)**

| | |
|--|---------------|
| Unspecified adverse effect of unspecified drug, medicinal and biological substance | 995.20 |
| Unspecified Septicemia | 038.9 |
| Unspecified viral hepatitis C with hepatic coma | 070.71 |
| Unspecified viral hepatitis C without hepatic coma | 070.70 |
| Unspecified visual disturbances | 368.9 |
| Vaginal hematoma | 623.6 |
| Varices of other sites | 456.8 |
| Vascular disorders of male genital organs | 608.83 |
| Venous embolism and thrombosis of deep vessels of distal lower extremity | 453.42 |
| Venous embolism and thrombosis of deep vessels of proximal lower extremity | 453.41 |
| Venous embolism and thrombosis of unspecified deep vessels of lower extremity | 453.40 |
| Viral Hepatitis | 070.0 – 070.9 |
| Vitreous hemorrhage | 379.23 |
| Von Willebrand's disease | 286.4 |
| Yellow fever | 060.0 – 060.9 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)
ICD Codes**

Numerical Order

| | | |
|---------------|-----------------|------------------------|
| 02.0 – 002.9 | 239.9 | 362.43 |
| 03.0 – 003.9 | 246.3 | 362.81 |
| 038.9 | 250.40 – 250.43 | 363.63 |
| 042 | 269.0 | 363.72 |
| 060.0 – 060.9 | 273.0 – 273.9 | 368.9 |
| 065.0 – 065.9 | 273.2 | 372.72 |
| 070.0 – 070.9 | 275.0 – 275.9 | 374.81 |
| 070.70 | 275.5 | 376.32 |
| 070.71 | 277.1 | 377.42 |
| 075 | 277.30 | 379.23 |
| 078.6 | 277.31 | 380.31 |
| 078.7 | 277.39 | 403.01, 403.11, 403.91 |
| 120.0 | 285.1 | 404.02, 404.12, 404.92 |
| 121.1 | 286.0 | 410.00 – 410.92 |
| 121.3 | 286.1 | 423.0 |
| 124 | 286.2 – 286.3 | 427.31 |
| 135 | 286.4 | 427.9 |
| 155.0 – 155.2 | 286.5 | 428.0 |
| 197.7 | 286.6 | 429.79 |
| 238.4 | 286.7 | 430 – 432.9 |
| 238.71 | 286.9 | 433.00 – 433.91 |
| 238.72 | 287.0 – 287.9 | 434.00 – 434.91 |
| 238.73 | 289.0 | 435.9 |
| 238.74 | 289.81 | 444.0 – 444.9 |
| 238.75 | 289.81 | 446.6 |
| 238.76 | 325 | 447.2 |
| 238.77 | 360.43 | 448.0 |
| 238.79 | 362.30 – 362.37 | 451.0 – 451.9 |
| | 362.34 | 453.0 – 453.9 |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)
ICD Codes**

Numerical Order

| | | |
|-----------------|-----------------|-----------------|
| 453.40 | 585.5 | 637.10 – 637.12 |
| 453.41 | 585.6 | 638.1 |
| 453.42 | 585.9 | 639.1 |
| 456.0 | 586 | 639.6 |
| 456.1 | 593.81 – 593.89 | 640.00 – 640.93 |
| 456.8 | 596.7 | 641.00 – 641.93 |
| 459.89 | 596.8 | 642.00 – 642.94 |
| 530.7 | 599.70 | 646.70 – 646.73 |
| 530.82 | 599.71 | 649.30 |
| 531.00 – 535.61 | 599.72 | 649.31 |
| 537.83 | 607.82 | 649.32 |
| 537.84 | 608.83 | 649.33 |
| 556.0 – 557.9 | 611.89 | 649.34 |
| 562.02 – 562.03 | 620.7 | 649.50 |
| 562.12 | 621.4 | 649.51 |
| 562.13 | 622.8 | 649.53 |
| 568.81 | 623.6 | 656.00 – 656.03 |
| 569.3 | 623.8 | 658.40 – 658.43 |
| 57.42 | 624.5 | 666.00 – 666.34 |
| 570 | 626.6 | 671.20 – 671.54 |
| 571.0 – 573.9 | 626.7 | 673.00 – 673.84 |
| 576.0 – 576.9 | 627.0 | 674.30 – 674.34 |
| 577.0 | 627.1 | 710.0 |
| 578.0 – 578.9 | 629.0 | 713.2 |
| 579.0 – 579.9 | 632 | 713.6 |
| 581.0 – 581.9 | 634.00 – 634.92 | 719.10 – 719.19 |
| 583.9 | 635.10 – 635.12 | 729.5 |
| 584.5 – 584.9 | 636.10 – 636.12 | 729.81 |
| 585.4 | | |

**PARTIAL THROMBOPLASTIN TIME
PTT (ACTIVATED)
ICD Codes**

Numerical Order

| | | |
|-----------------|--|-----------------|
| 733.10 – 733.19 | 807.10 – 807.19 | 902.0 – 902.9 |
| 762.1 | 807.19 | 903.00 – 903.9 |
| 764.90 – 764.99 | 808.8 – 808.9 | 904.0 – 904.9 |
| 767.0 – 767.11 | 809.0 – 809.1 | 920 – 924.9 |
| 767.8 | 810.00 – 810.13 | 925.1 – 929.9 |
| 770.3 | 811.00 – 811.19 | 958.2 |
| 772.0 – 772.9 | 812.00 – 812.59 | 959.9 |
| 774.0 – 772.7 | 813.10 – 813.18 | 964.2 |
| 776.0 – 776.9 | 813.30 – 813.33 | 964.5 |
| 780.2 | 813.50 – 813.54 | 964.7 |
| 782.4 | 813.90 – 813.93 | 980.0 |
| 782.7 | 819.0 – 819.1 | 989.5 |
| 784.7 | 820.00 – 821.39 | 995.20 |
| 784.8 | 823.00 – 823.92, 823.40, 823.41, 823.42 | 995.21 |
| 785.4 | 827.0 – 829.1 | 995.27 |
| 785.50 | 852.00 – 853.19 | 995.29 |
| 786.05 | 860.0 – 860.5 | 996.70 – 996.79 |
| 786.3 | 861.00 – 861.32 | 997.02 |
| 786.50 | 862.0 – 862.9 | 998.11 |
| 786.59 | 863.0 – 863.99 | 998.12 |
| 789.00 – 789.09 | 864.00 – 864.19 | 999.2 |
| 790.92 | 865.00 – 865.19 | V12.3 |
| 800.00 – 800.99 | 866.00 – 866.13 | V58.2 |
| 801.00 – 801.99 | 867.0 – 867.9 | V58.61 |
| 802.20 – 802.9 | 868.00 – 868.19 | V58.83 |
| 803.00 – 803.99 | 869.0 – 869.1 | |
| 804.00 – 804.99 | 900.00 – 900.9 | |
| 805.00 – 806.9 | 901.0 – 901.9 | |
| 807.00 – 807.09 | | |